



Mike DeWine, Governor
Jon Husted, Lt. Governor
Laurie A. Stevenson, Director

January 4, 2022

Transmitted Electronically

Re: Circuit Board Mining, L.L.C.
General Correspondence
Hancock County
8CU00466

Mr. Behrouz Kavarizadeh, CEO
Circuit Board Mining, L.L.C.
23546 U.S. Rte 224
Alvada, Ohio, 44802

Dear Mr. Kavarizadeh:

Ohio EPA, Division of Surface Water has evaluated the information on the attached treatment system layout that you provided in your November 29, 2021, email message. The answers that you provided to our additional questions, indicated that the system will be located inside a building and that 60 to 80 gallons of rinse water will be used in a day.

Based on this information, we have determined that your system is exempt from the need to obtain a Permit to Install in accordance with Ohio Administrative Code (OAC) 3745-42-02 (B) (7).

If any changes in the layout, location or volumes of rinse water used in the system become necessary, you will need to contact the Division of Surface Water to determine whether a Permit to Install and or National Pollutant Discharge Elimination System (NPDES) permit.

Please advise if you have any questions.

Sincerely,

Thomas Poffenbarger, P.E.
Water Quality Engineer II/Unit Supervisor
Division of Surface Water

enclosure

TP/cle

cc: Jeremy Scoles, OCAPP-NWDO